

KATIE IN A MAN'S WORLD

Patons

Book 361

KATIE

Six Jumpers and a Vest.



40c*

Why making it with Patons makes it really worthwhile . . .

Every year Patons makes up thousands and thousands of garments to ensure that each individual pattern is perfected in every size stated and **every Patons yarn specified**—of vital importance to the shape of your finished garment. And once in shape—always in shape. No shrinking. No stretching. Patons promise it. With over 180 years of experience to draw on, the people at Patons don't pay lip service to quality, they work at it constantly. That's why making it with Patons makes it really worthwhile.



EQUIVALENT TO 6 PLY

New Katie knits and crochets with equal ease. Pure wool with a crochet twist and a smooth "feel", Katie comes in fun-loving colours, including viscose and shadow shades. Won't shrink, stretch or lose its shape because it is Patonised.

No. 1—Jumper (opposite)

CAUTION!

This garment has been designed exclusively for Patons yarns; therefore we can take no responsibility if other yarns are used.

PATONS KATIE

			A	B	C	D	E
Fits chest	ins.	36	38	40	42	44	
	cm	91	97	102	107	112	
Measures	ins.	38	40	42	44	46	
	cm	97	102	107	112	117	

Quantity	50 g balls	13	14	15	16	17
----------	------------	----	----	----	----	----

Length	ins.	25½	25¾	26	26¼	26½
	cm	65	65	66	67	67
Sleeve seam	ins.	19	19	19	19	19
	cm	48	48	48	48	48

(or length desired)

NEEDLES—Milward "Disc" or Patons "Beehive".

Loose Knitters—

1 pair each Nos. 9 and 11, 1 set of No. 11

Average Knitters—

1 pair each Nos. 8 and 10, 1 set of No. 10

Tight Knitters—

1 pair each Nos. 7 and 9, 1 set of No. 9

Needles In instructions are for Average Knitters.

TENSION—12 sts. to 2 ins. (5 cm)—see page 19.

A Cable Needle. 2 Stitch Holders.

Milward Tapestry Needle for sewing seams.

ABBREVIATIONS—See page 19. 0 = No. sts.

"Cable 6 F." = Slip next 3 sts. on to cable needle and leave at front of work, K.3, then K.3 from cable needle.

"Cable 4 B." = Slip next 2 sts. on to cable needle and leave at back of work, K.2, then K.2 from cable needle.

"Cable 4 F." = Slip next 2 sts. on to cable needle and leave at front of work, K.2, then K.2 from cable needle.

"Cable 6 B." = Slip next 3 sts. on to cable needle and leave at back of work, K.3, then K.3 from cable needle.

"Inc." = Pick up loop which lies before next st., place on left-hand needle and knit t.b.l.

Instructions are for size A. Sizes B, C, D and E are shown [B . . .] [C . . .] [D . . .] [E . . .]. Where one set of figures is given, this applies to all sizes.

BACK.

Using No. 10 Needles, cast on 110 [B 116] [C 122] [D 128] [E 134] stitches.

1st row—* K.1, P.1, rep. from * to end.

Rep. 1st row 20 times.

22nd row—Rib 46 [B rib 4, "Inc.", rib 5] [C rib 50] [D rib 4, "Inc.", rib 5] [E rib 58, "Inc.", rib 4] [B 40]

[continued on page 4]



*Handsome Aran stitch jumper with fashioned raglan sleeves
and double neckband K1, P1 rib bands.*

No. 1 (from page 2)

[C 5] [D 46] [E 4], ("Inc.", rib 4) 5 times, "Inc.", rib to last 0 [B 9] [C 0] [D 9] [E 0] sts., A rib 0 [B "Inc.", rib 9] [C rib 0] [D "Inc.", rib 9] [E rib 0]. (117 [B 125] [C 129] [D 137] [E 141] sts.)

Using No. 8 Needles, proceed as follows—

**** 1st row—**P.2 [B P.2] [C P.4] [D P.4] [E P.2], (K.1, P.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, K.1, P.2, K.6, P.10, K.4, P.4, K.8, P.2, (K.1 t.b.l., P.4) 6 times, K.1 t.b.l., P.2, K.8, P.4, K.4, P.10, K.6, P.2, (K.1, P.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, K.1, P.2 [B P.2] [C P.4] [D P.4] [E P.2].

2nd and alt. rows—Knit all knit sts. and purl all purl sts. as they appear.

3rd row—K.0 [B K.0] [C K.2] [D K.2] [E K.0], (P.1, K.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, P.1, K.2, P.2, "Cable 6 F.", P.9, K.4, P.5, "Cable 4 B.", "Cable 4 F.", P.2, (K.1 t.b.l., P.3, K.1 t.b.l., P.1, K.1 t.b.l., P.3) 3 times, K.1 t.b.l., P.2, "Cable 4 B.", "Cable 4 F.", P.5, K.4, P.9, "Cable 6 B.", P.2, K.2, P.1, (K.3, P.1) 1 [B 2] [C 2] [D 3] [E 4] time/s, K.0 [B K.0] [C K.2] [D K.2] [E K.0].

5th row—P.2 [B P.2] [C P.4] [D P.4] [E P.2], (K.1, P.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, K.1, P.2, K.6, P.8, K.4, P.6, K.8, (P.2, K.1 t.b.l., P.2, K.1 t.b.l., P.1, K.1 t.b.l., P.1, K.1 t.b.l.) 3 times, P.2, K.1 t.b.l., P.2, K.8, P.6, K.4, P.8, K.6, P.2, (K.1, P.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, K.1, P.2 [B P.2] [C P.4] [D P.4] [E P.2].

7th row—K.0 [B K.0] [C K.2] [D K.2] [E K.0], (P.1, K.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, P.1, K.2, P.2, K.6, P.7, K.4, P.7, K.8, P.2, (K.1 t.b.l., P.1) 15 times, K.1 t.b.l., P.2, K.8, P.7, K.4, P.7, K.6, P.2, K.2, P.1, (K.3, P.1) 1 [B 2] [C 2] [D 3] [E 4] time/s, K.0 [B K.0] [C K.2] [D K.2] [E K.0].

9th row—P.2 [B P.2] [C P.4] [D P.4] [E P.2], (K.1, P.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, K.1, P.2, K.6, P.6, K.4, P.8, K.8, P.2, K.1 t.b.l., P.2, (K.1 t.b.l., P.1) twice, (K.1 t.b.l., P.2) twice, (K.1 t.b.l., P.1) twice, (K.1 t.b.l., P.2) twice, (K.1 t.b.l., P.1) twice, (K.1 t.b.l., P.2) twice, K.8, P.8, K.4, P.6, K.6, P.2, (K.1, P.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, K.1, P.2 [B P.2] [C P.4] [D P.4] [E P.2].

11th row—K.0 [B K.0] [C K.2] [D K.2] [E K.0], (P.1, K.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, P.1, K.2, P.2, "Cable 6 F.", P.5, K.4, P.9, "Cable 4 B.", "Cable 4 F.", P.2, (K.1 t.b.l., P.3, K.1 t.b.l., P.1, K.1 t.b.l., P.3) 3 times, K.1 t.b.l., P.2, "Cable 4 B.", "Cable 4 F.", P.9, K.4, P.5, "Cable 6 B.", P.2, K.2, P.1, (K.3, P.1) 1 [B 2] [C 2] [D 3] [E 4] time/s, K.0 [B K.0] [C K.2] [D K.2] [E K.0].

13th row—P.2 [B P.2] [C P.4] [D P.4] [E P.2], (K.1, P.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, K.1, P.2, K.6, P.4, K.4, P.10, K.8, P.2, (K.1 t.b.l., P.4) 6 times, K.1 t.b.l., P.2, K.8, P.10, K.4, P.4, K.6, P.2, (K.1, P.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, K.1, P.2 [B P.2] [C P.4] [D P.4] [E P.2].

15th row—K.0 [B K.0] [C K.2] [D K.2] [E K.0], (P.1, K.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, P.1, K.2, P.2, K.6, P.5, K.4, P.9, K.8, P.2, K.2 t.b.l., (P.3, K.1 t.b.l.) twice, P.1, (K.1 t.b.l., P.3) twice, K.1 t.b.l., P.1, (K.1 t.b.l., P.3) twice, K.2 t.b.l., P.2, K.8, P.9, K.4, P.5, K.6, P.2, K.2, P.1, (K.3, P.1) 1 [B 2] [C 2] [D 3] [E 4] time/s, K.0 [B K.0] [C K.2] [D K.2] [E K.0].

17th row—P.2, [B P.2] [C P.4] [D P.4] [E P.2], (K.1, P.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, K.1, P.2, K.6, P.6, K.4, P.8, K.8, P.2, K.1 t.b.l., P.1, (K.1 t.b.l., P.2)

twice, (K.1 t.b.l., P.1) twice, (K.1 t.b.l., P.2) twice, (K.1 t.b.l., P.1) twice, (K.1 t.b.l., P.2) twice, K.1 t.b.l., P.1, K.1 t.b.l., P.2, K.8, P.8, K.4, P.6, K.6, P.2, (K.1, P.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, K.1, P.2 [B P.2] [C P.4] [D P.4] [E P.2].

19th row—K.0 [B K.0] [C K.2] [D K.2] [E K.0], (P.1, K.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, P.1, K.2, P.2, "Cable 6 F.", P.7, K.4, P.7, "Cable 4 B.", "Cable 4 F.", P.2, K.2, (P.1, K.1 t.b.l.) 13 times, P.1, K.2, P.2, "Cable 4 B.", "Cable 4 F.", P.7, K.4, P.7, "Cable 6 B.", P.2, K.2, P.1, (K.3, P.1) 1 [B 2] [C 2] [D 3] [E 4] time/s, K.0 [B K.0] [C K.2] [D K.2] [E K.0].

21st row—P.2 [B P.2] [C P.4] [D P.4] [E P.2], (K.1, P.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, K.1, P.2, K.6, P.8, K.4, P.6, K.8, P.2, K.1 t.b.l., P.1, (K.1 t.b.l., P.2) twice, (K.1 t.b.l., P.1) twice, (K.1 t.b.l., P.2) twice, K.1 t.b.l., P.1, K.1 t.b.l., P.2, K.8, P.6, K.4, P.8, K.6, P.2, (K.1, P.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, K.1, P.2 [B P.2] [C P.4] [D P.4] [E P.2].

23rd row—K.0 [B K.0] [C K.2] [D K.2] [E K.0], (P.1, K.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, P.1, K.2, P.2, K.6, P.9, K.4, P.5, K.8, P.2, K.2 t.b.l., (P.3, K.1 t.b.l.) twice, P.1, (K.1 t.b.l., P.3) twice, K.1 t.b.l., P.1, (K.1 t.b.l., P.3) twice, K.2 t.b.l., P.2, K.8, P.5, K.4, P.9, K.6, P.2, K.2, (P.1, K.3) 1 [B 2] [C 2] [D 3] [E 4] time/s, P.1, K.0 [B K.0] [C K.2] [D K.2] [E K.0].

24th row—As 2nd row. **

These 24 rows form patt.

Rep. from ** to ** until work measures 14½ ins. (37 cm) from commencement, working last row on wrong side.

Keeping continuity of patt., shape raglan armholes as follows—

1st and 2nd rows—Cast off 2 sts., patt. to end.

3rd row—K.2, slip 1, K.1, p.s.s.o., patt. to last 4 sts., K.2 tog., K.2.

4th row—P.3, patt. to last 3 sts., P.3.

A, B and C only—5th row—K.3, patt. to last 3 sts., K.3.

6th row—As 4th row.

A only—Rep. rows 3 to 6 incl. twice. (107 sts.) ***

All Sizes—Rep. 3rd and 4th rows until 31 [B 33] [C 35] [D 39] [E 41] sts. remain.

[D and E only—Next row—P.2, P.2 tog., patt. to last 4 sts., P.2 tog. t.b.l., P.2, ([D 37] [E 39] sts.)

A, B and C only—Work 1 row.

All Sizes—Break off yarn and leave remaining sts. on a stitch holder.

FRONT—Work as given for Back to ***.

All Sizes—Rep. 3rd and 4th rows until 59 [B 61] [C 65] [D 67] [E 71] sts. remain.

Work 1 row.

Shape neck as follows—

Next row—K.2, slip 1, K.1, p.s.s.o., patt. 18 [B 18] [C 19] [D 19] [E 20], turn.

Dec. at each end of every alt. row (at armhole edge as before) until 9 [B 9] [C 10] [D 10] [E 11] sts. remain.

Dec. (as before) at armhole edge only in every alt. row until 3 sts. remain.

A, B and C only—Next row—P.3.

Next row—K.1, slip 1, K.1, p.s.s.o.

Next row—P.2, turn, K.2 tog. Fasten off.

[D and E only—Next row—P.1, P.2 tog.t.b.l., turn, K.2 tog. Fasten off.]

All Sizes—Slip next 15 [B 17] [C 19] [D 21] [E 23] sts. on to stitch holder and leave. Join yarn to remaining sts. and work to correspond with other side, working "K.2 tog." in place of "slip 1, K.1, p.s.s.o." and "P.2 tog." in place of "P.2 tog.t.b.l."

SLEEVES.

Using No. 10 Needles, cast on 52 [B 52] [C 56] [D 60] [E 60] stitches.

Work 21 rows in rib as given for Back.

22nd row—Rib 1, "Inc.", rib 23 [B 23] [C 25] [D 26] [E 26], "Inc.", rib 3, "Inc.", rib to end. (55 [B 55] [C 59] [D 63] [E 63] sts.)

Using No. 8 Needles, proceed as follows—

1st row—P.1 [B P.1] [C P.3] [D P.1] [E P.1], (K.1, P.3) 2 [B 2] [C 2] [D 3] [E 3] times, K.1, P.2, K.8, P.2, (K.1 t.b.l., P.4) twice, K.1 t.b.l., P.2, K.8, P.2, (K.1, P.3) 2 [B 2] [C 2] [D 3] [E 3] times, K.1, P.1 [B P.1] [C P.3] [D P.1] [E P.1].

2nd and alt. rows—Knit all knlt sts. and purl all purl sts. as they appear.

3rd row—P.0 [B P.0] [C K.1, P.1] [D P.0] [E P.0], (K.3, P.1) 2 [B 2] [C 2] [D 3] [E 3] times, K.2, P.2, "Cable 4 B.", "Cable 4 F.", P.2, K.1 t.b.l., P.3, K.1 t.b.l., P.1, K.1 t.b.l., P.3, K.1 t.b.l., P.2, "Cable 4B.", "Cable 4 F.", P.2, K.2, (P.1, K.3) 2 [B 2] [C 2] [D 3] [E 3] times, P.0 [B P.0] [C P.1, K.1] [D P.0] [E P.0].

5th row—P.1 [B P.1] [C P.3] [D P.1] [E P.1], (K.1, P.3) 2 [B 2] [C 2] [D 3] [E 3] times, K.1, P.2, K.8, P.2, K.1 t.b.l., P.2, (K.1 t.b.l., P.1) twice, (K.1 t.b.l., P.2) twice, K.8, P.2, (K.1, P.3) 2 [B 2] [C 2] [D 3] [E 3] times, K.1, P.1 [B P.1] [C P.3] [D P.1] [E P.1].

7th row—P.0 [B P.0] [C K.1, P.1] [D P.0] [E P.0], (K.3, P.1) 2 [B 2] [C 2] [D 3] [E 3] times, K.2, P.2, K.8, P.2, (K.1 t.b.l., P.1) 5 times, K.1 t.b.l., P.2, K.8, P.2, K.2, (P.1, K.3) 2 [B 2] [C 2] [D 3] [E 3] times, P.0 [B P.0] [C P.1, K.1] [D P.0] [E P.0].

9th row—Inc. in first st., P.0 [B P.0] [C P.2] [D P.0] [E P.0], (K.1, P.3) 2 [B 2] [C 2] [D 3] [E 3] times, K.1, P.2, K.8, (P.2, K.1 t.b.l.) twice, P.1, K.1 t.b.l., P.1, (K.1 t.b.l., P.2) twice, K.8, P.2, (K.1, P.3) 2 [B 2] [C 2] [D 3] [E 3] times, K.1, P.0 [B P.0] [C P.2] [D P.0] [E P.0], inc. in last st. (57 [B 57] [C 61] [D 65] [E 65] sts.)

11th row—K.0 [B K.0] [C K.2] [D K.0] [E K.0], P.1, (K.3, P.1) 2 [B 2] [C 2] [D 3] [E 3] times, K.2, P.2, "Cable 4 B.", "Cable 4 F.", P.2, K.1 t.b.l., P.3, K.1 t.b.l., P.1, K.1 t.b.l., P.3, K.1 t.b.l., P.2, "Cable 4B.", "Cable 4 F.", P.2, K.2 (P.1, K.3) 2 [B 2] [C 2] [D 3] [E 3] times, P.1, K.0 [B K.0] [C K.2] [D K.0] [E K.0].

13th row—P.2 [B P.2] [C P.0] [D P.2] [E P.2], (K.1, P.3) 2 [B 2] [C 3] [D 3] [E 3] times, K.1, P.2, K.8, P.2, (K.1 t.b.l., P.4) twice, K.1 t.b.l., P.2, K.8, P.2, (K.1, P.3) 2 [B 2] [C 3] [D 3] [E 3] times, K.1, P.2 [B P.2] [C P.0] [D P.2] [E P.2].

15th row—Inc. in first st., P.0 [B P.0] [C K.1, P.1] [D P.0] [E P.0], (K.3, P.1) 2 [B 2] [C 2] [D 3] [E 3]

times, K.2, P.2, K.8, P.2, K.2 t.b.l., P.3, K.1 t.b.l., P.3, K.2 t.b.l., P.2, K.8, P.2, K.2, (P.1, K.3) 2 [B 2] [C 2] [D 3] [E 3] times, P.0 [B P.0] [C P.1, K.1] [D P.0] [E P.0], inc. in last st. (59 [B 59] [C 63] [D 67] [E 67] sts.)

17th row—P.3 [B P.3] [C P.1] [D P.3] [E P.3], (K.1, P.3) 2 [B 2] [C 3] [D 3] [E 3] times, K.1, P.2, K.8, P.2, K.1 t.b.l., P.1, (K.1 t.b.l., P.2) twice, K.1 t.b.l., P.1, K.1 t.b.l., P.2, K.8, P.2, K.1, (P.3, K.1) 2 [B 2] [C 3] [D 3] [E 3] times, P.3 [B P.3] [C P.1] [D P.3] [E P.3].

19th row—K.1 [B K.1] [C K.3] [D K.1] [E K.1], P.1, (K.3, P.1) 2 [B 2] [C 2] [D 3] [E 3] times, K.2, P.2, "Cable 4 B.", "Cable 4 F.", P.2, K.2 t.b.l., (P.1, K.1 t.b.l.) 4 times, K.2 t.b.l., P.2, "Cable 4 B.", "Cable 4 F.", P.2, K.2, (P.1, K.3) 2 [B 2] [C 2] [D 3] [E 3] times, P.1, K.1 [B K.1] [C K.3] [D K.1] [E K.1].

21st row—Inc. in first st., P.2 [B P.2] [C P.0] [D P.2] [E P.2], (K.1, P.3) 2 [B 2] [C 3] [D 3] [E 3] times, K.1, P.2, K.8, P.2, K.1 t.b.l., P.1, (K.1 t.b.l., P.2) twice, K.1 t.b.l., P.1, K.1 t.b.l., P.2, K.8, P.2, K.1, (P.3, K.1) 2 [B 2] [C 3] [D 3] [E 3] times, P.2 [B P.2] [C P.0] [D P.2] [E P.2], inc. in last st. (61 [B 61] [C 65] [D 69] [E 69] sts.)

23rd row—K.2 [B K.2] [C K.0] [D K.2] [E K.2], (P.1, K.3) 2 [B 2] [C 3] [D 3] [E 3] times, P.1, K.2, P.2, K.8, P.2, K.2 t.b.l., (P.3, K.1 t.b.l.) twice, K.1 t.b.l., P.2, K.8, P.2, K.2 t.b.l., (P.1, K.3) 2 [B 2] [C 3] [D 3] [E 3] times, P.1, K.2 [B K.2] [C K.0] [D K.2] [E K.2].

24th row—As 2nd row.

These 24 rows form patt., noting that 9th, 15th and 21st rows were increase rows.

Keeping continuity of patt., inc. at each end of 5th [B 3rd] [C 3rd] [D 3rd] [E 3rd] and every following 8th [B 6th] [C 6th] [D 6th] [E 6th] row until there are 83 [B 77] [C 81] [D 85] [E 99] sts., **[B, C and D only—** then in every following 8th row until there are [B 87] [C 91] [D 95] sts.]

Continue without shaping until side edge measures 19 ins. (48 cm) (or length desired) from commencement, working last row on wrong side.

Shape raglan as follows—

Work rows 1 to 6 incl. as given for armhole shaping for Back, noting that all sizes will be worked as given for **A, B and C only.**

Rep. rows 3 to 6 incl. 8 [B 7] [C 6] [D 5] [E 4] times. (61 [B 67] [C 73] [D 79] [E 85] sts.)

Rep. 3rd and 4th rows until 9 sts. remain.

Work 1 row. Cast off.

NECKBAND.

Using back-stitch, sew sleeves to front and back, noting that tops of sleeves form part of neckline. With right side facing, using set of No. 10 Needles and commencing at left back raglan seam, knit up 104 [B 108] [C 116] [D 120] [E 124] sts, evenly around neck (including sts. from stitch holders).

1st round—* K.1, P.1, rep. from * to end.

Rep. 1st round 19 times. Cast off loosely in rib.

MAKE UP.

With a slightly damp cloth and warm iron, press lightly. Using back-stitch, sew up side and sleeve seams. Fold neckband in half on to wrong side and slip-stitch in position. Press seams.

No. 2—Jumper (opposite)

CAUTION!

This garment has been designed exclusively for Patons yarns; therefore we can take no responsibility if other yarns are used.

PATONS KATIE

			A	B	C	D	E
Fits chest	ins.	33	35	37	39	41	
	cm	84	89	94	99	104	
Measures	ins.	33	35	37	39	41	
	cm	84	89	94	99	104	

Quantity	50 g balls	11	12	13	14	15
Length	ins.	25½	25¾	26	26¼	26½
	cm	65	65	66	67	67
Sleeve seam	ins.	19	19	19	19	19
	cm	48	48	48	48	48
		(or length desired)				

NEEDLES—Milward "Disc" or Patons "Beehive".

Loose Knitters—

1 pair each Nos. 9 and 11, 1 set of No. 11

Average Knitters—

1 pair each Nos. 8 and 10, 1 set of No. 10

Tight Knitters—

1 pair each Nos. 7 and 9, 1 set of No. 9

Needles in instructions are for Average Knitters.

TENSION—12 sts. to 2 ins. (5 cm)—See page 19.
2 Stitch Holders.

Milward Tapestry Needle for sewing seams.

ABBREVIATIONS—See page 19.

"Tw.R." = Knit into front of second st. on left-hand needle, then purl into front of first st., slip both sts. off needle tog.

"Tw.L." = Purl into back of second st. on left-hand needle, then knit into front of first st., slip both sts. off needle tog.

"Inc." = Pick up loop which lies before next st., place on left-hand needle and knit t.b.l. 0 = No rows.

Instructions are for size A. Sizes B, C, D and E are shown [B...] [C...] [D...] [E...]. Where one set of figures is given, this applies to all sizes.

BACK.

Using No. 10 Needles, cast on 108 [B 114] [C 120] [D 126] [E 132] stitches.

1st row—K.2, * P.1, K.1, rep. from * to end.

Rep. 1st row 21 times.

Using No. 8 Needles, proceed as follows—

**** 1st row**—* P.2, K.2, P.2, rep. from * to end.

2nd row—* K.2, P.2, K.2, rep. from * to end.

3rd row—* P.1, "Tw.R.", "Tw.L.", P.1, rep. from * to end.

4th row—* K.1, P.1, K.2, P.1, K.1, rep. from * to end.

5th row—* "Tw.R.", P.2, "Tw.L.", rep. from * to end.

6th row—* P.1, K.4, P.1, rep. from * to end.

7th row—* K.1, P.4, K.1, rep. from * to end.

8th row—As 6th row.

9th row—* "Tw.L.", P.2, "Tw.R.", rep. from * to end.

10th row—As 4th row.

11th row—* P.1, "Tw.L.", "Tw.R.", P.1, rep. from * to end.

12th row—As 2nd row. **

These 12 rows form patt.

Rep. from ** to ** until work measures 16¾ ins. (43 cm) from commencement, working last row on wrong side.

Keeping continuity of patt., shape armholes as follows—

Cast off 5 [B 5] [C 6] [D 7] [E 7] sts. at beg. of next 2 rows. ***

Dec. at each end of next and every alt. row until 94 [B 98] [C 102] [D 104] [E 108] sts. remain, then in every following 6th row until 78 [B 82] [C 86] [D 88] [E 92] sts. remain.

Work 5 rows.

Tie a coloured thread at each end of work.

Shape shoulders as follows—

Cast off 3 sts. at beg. of next 12 [B 14] [C 12] [D 12] [E 14] rows, then 2 sts. at beg. of following 6 [B 4] [C 8] [D 8] [E 6] rows.

Break off yarn and leave remaining 30 [B 32] [C 34] [D 36] [E 38] sts. on a stitch holder.

FRONT—Work as given for Back to ***.

Dec. at each end of next and every alt. row until 94 [B 98] [C 102] [D 104] [E 108] sts. remain, then in every following 6th row until 82 [B 86] [C 90] [D 92] [E 96] sts. remain.

Work 5 rows.

Shape neck as follows—

Next row—Work 2 tog., patt. 31 [B 32] [C 33] [D 33] [E 34], turn.

Continue on these 32 [B 33] [C 34] [D 34] [E 35] sts.

Dec. at neck edge in every row 7 times, whilst at same time dec. at armhole edge in following 6th row. (24 [B 25] [C 26] [D 26] [E 27] sts.)

Work 4 rows.

Shape shoulder as follows—

Cast off 12 [B 12] [C 13] [D 13] [E 13] sts. at beg. of next row.

Work 1 row. Cast off remaining sts.

Slip next 16 [B 18] [C 20] [D 22] [E 24] sts. on to a stitch holder and leave. Join yarn to remaining sts. and work to correspond with other side.

RIGHT SLEEVE.

Using No. 10 Needles, cast on 50 [B 52] [C 54] [D 56] [E 58] stitches.

Work 22 rows in rib, as given for Back, [B, C and E only—inc. in middle of last row.] (50 [B 53] [C 55] [D 56] [E 59] sts.)

Using No. 8 Needles, proceed as follows—

1st row—Knit. **2nd row**—Purl.

Rep. 1st and 2nd rows once.

5th row—K.2, "Inc.", knlt to last 2 sts., "Inc.", K.2, Inc. (as before) in every 4th row until there are 58 [B 61] [C 69] [D 76] [E 79] sts., then in every following 6th row until there are 84 [B 87] [C 91] [D 94] [E 97] sts.

Continue without shaping until side edge measures 19 ins. (48 cm) (or length desired) from commencement, finishing with a purl row.

Shape top as follows—

Cast off 2 [B 2] [C 3] [D 4] [E 4] sts. at beg. of next 2 rows.

Dec. at each end of next and every alt. row until 28 [B 29] [C 33] [D 30] [E 31] sts. remain, then in every row until 22 [B 23] [C 23] [D 24] [E 25] sts. remain. **

Tie a coloured thread at beg. of last row (back edge).

[continued on page 8]



Patterned sweater with plain smooth fabric sleeves, features double round neckband and saddle shoulders. K.1, P.1 rib bands.

No. 2 (from page 6)

Dec. at back edge in next and every following 3rd row until 11 [B 12 [C 12] [D 12] [E 13] sts. remain. Work 0 [B 2] [C 4] [D 2] [E 3] rows. Cast off.

LEFT SLEEVE—Work as given for Right Sleeve to **. Tie a coloured thread at end of last row (back edge). Complete to correspond with Right Sleeve.

NECKBAND.

Using back-stitch, sew sleeves to front and back, matching coloured threads and noting that tops of

sleeves form part of neckline. With right side facing, using set of No. 10 Needles and commencing at top of left sleeve, knit up 108 [B 112] [C 116] [D 120] [E 124] sts. evenly around neck (including sts. from stitch holders).

1st round—* K.1, P.1, rep. from * to end.

Rep. 1st round 39 times. Cast off loosely in rib.

MAKE UP.

With a slightly damp cloth and warm iron, press sleeves lightly. Using back-stitch, sew up side and sleeve seams. Fold neckband in half on to wrong side and slip-stitch in position. Press seams.

No. 3—Jumper (opposite)

CAUTION!

This garment has been designed exclusively for Patons yarns; therefore we can take no responsibility if other yarns are used.

PATONS KATIE

					A	B	C
Fits chest	ins.	36	39	42
				cm	91	99	107
Measures	ins.	36	39	42
				cm	91	99	107

Quantity	50 g balls	13	15	17
Length	ins.	25¾	26	26¼
			cm	65	66	67
Sleeve seam	ins.	19	19	19
			cm	48	48	48
			(or length desired)			

(or length desired)

NEEDLES—Milward "Disc" or Patons "Beehive".

Loose Knitters—

1 pair each Nos. 10 and 12, 1 set of No. 12

Average Knitters—

1 pair each Nos. 9 and 11, 1 set of No. 11

Tight Knitters—

1 pair each Nos. 8 and 10, 1 set of No. 10

Needles in instructions are for Average Knitters.

TENSION—14 sts. to 3 ins. (7.6 cm), measured over pattern on No. 9 Needles. Check tension—see page 19. 2 Stitch Holders.

Milward Tapestry Needle for sewing seams.

ABBREVIATIONS—See page 19. "K.1B." = Knit into next st. one row below, at same time slipping st. above off left-hand needle.

Instructions are for size A. Sizes B and C are shown [B ...] [C ...]. Where one set of figures is given, this applies to all sizes.

BACK.

Using No. 11 Needles, cast on 127 [B 139] [C 148] stitches.

1st row—K.1, * P.2, K.1, rep. from * to end.

2nd row—P.1, * K.2, P.1, rep. from * to end.

Rep. 1st and 2nd rows 9 times, then 1st row once.

Next row—P.1, * K.2 tog., P.1, rep. from * to end. (85 [B 93] [C 99] sts.)

Using No. 9 Needles, proceed as follows—

1st row—Knit.

**** 2nd row**—* K.1, "K.1B.", rep. from * to last st., K.1.

3rd row—K.2, * "K.1B.", K.1, rep. from * to last st., K.1.

Rows 4 to 7 incl.—Rep. 2nd and 3rd rows twice.

8th row—As 3rd row.

9th row—As 2nd row.

Rows 10 to 13 incl.—Rep. 8th and 9th rows twice. **

These 12 rows form patt.

Rep. from ** to ** until work measures 15¾ ins. (40 cm) from commencement, finishing with a 4th or 10th patt. row.

Keeping continuity of patt., shape raglan armholes as follows—

Cast off 2 sts. at beg. of next 2 rows. ***

Dec. at each end of next and every following 6th row until 57 [B 69] [C 77] sts. remain, then in every following 3rd row until 23 [B 25] [C 27] sts. remain.

[B only—Work 1 row.]

All Sizes—Break off yarn and leave remaining sts. on a stitch holder.

FRONT—Work as given for Back to ***.

Dec. at each end of next and every following 6th row until 57 [B 69] [C 77] sts. remain, then in every following 3rd row until 51 [B 55] [C 59] sts. remain.

Shape neck as follows—

1st row—Patt. 21 [B 22] [C 23], turn.

Continue on these 21 [B 22] [C 23] sts., dec. at each end of 2nd and every following 3rd row until 11 [B 12] [C 13] sts. remain.

Dec. at armhole edge only in every following 3rd row until 2 sts. remain.

[B only—Work 2, turn.]

All Sizes—K.2 tog. Fasten off.

Slip next 9 [B 11] [C 13] sts. on to stitch holder and leave.

Join yarn to remaining sts. and work to correspond with other side.

SLEEVES—

Using No. 11 Needles, cast on 61 [B 64] [C 67] stitches.

Work 21 rows in rib as given for Back.

Next row—P.1, * K.2 tog., P.1, rep. from * to end. (41 [B 43] [C 45] sts.)

[continued on page 10]



Unfashioned raglan sleeved jumper in all-over "K.1 below" stitch. Neckband is double. Rib bands in K.1, P.1.

No. 3 (from page 8)

Using No. 9 Needles, proceed as follows—

1st row—Knit.

Keeping continuity of patt. as given from ** to ** for Back, inc. at each end of 6th and every following 12th row until there are 69 [B 73] [C 79] sts.

Continue until side edge measures 19 ins. (48 cm) (or length desired) from commencement, finishing with same row as for Back.

Keeping continuity of patt., shape raglan as follows—

Cast off 2 sts. at beg. of next 2 rows.

Dec. at each end of next and every following 6th row until 41 [B 47] [C 57] sts. remain, then in every following 3rd row until 7 sts. remain.

[B only—Work 1 row.]

All Sizes—Cast off.

NECKBAND.

Using back-stitch, sew sleeves to front and back, noting that tops of sleeves form part of neckline. With right side facing, using set of No. 11 Needles and commencing at left back raglan seam, knit up 116 [B 120] [C 124] sts. evenly around neck (including sts. from stitch holders).

1st round—* K.1, P.1, rep. from * to end.

Rep. 1st round 45 times. Cast off loosely in rib.

MAKE UP.

DO NOT PRESS. Using back-stitch, sew up side and sleeve seams. Fold neckband in half on to wrong side and slip-stitch in position.

No. 4—Jumper (opposite)

CAUTION!

This garment has been designed exclusively for Patons yarns; therefore we can take no responsibility if other yarns are used.

PATONS KATIE

			A	B	C	D	E
Fits chest	ins.	36	38	40	42	44
		cm	91	97	102	107	112
Measures	ins.	37	39	41	43	45
		cm	94	99	104	109	114
Main Colour	50 g balls		10	11	12	13	14
1st Contrast	" "		1	1	1	1	1
2nd Contrast	" "		1	1	1	1	1
3rd Contrast	" "		2	2	2	2	2
Length	ins.	25½	25¾	26	26¼	26½
		cm	65	65	66	67	67
Sleeve seam	ins.	19	19	19	19	19
		cm	48	48	48	48	48
			(or length desired)				

NEEDLES—Milward "Disc" or Patons "Beehive".

Loose Knitters—

1 pair each Nos. 10 and 12, 1 set of No. 12

Average Knitters—

1 pair each Nos. 9 and 11, 1 set of No. 11

Tight Knitters—

1 pair each Nos. 8 and 10, 1 set of No. 10

Needles in instructions are for Average Knitters.

TENSION—12½ sts. to 2 ins. (5 cm) in width, measured over plain smooth fabric and 13½ sts. to 2 in. (5 cm) in width, measured over rib on No. 9 Needles. Check tension—see page 19.

2 Stitch Holders.

Milward Tapestry Needle for sewing seams.

ABBREVIATIONS—See page 19. M. = Main Colour. C.1 = 1st Contrast. C.2 = 2nd Contrast. C.3 = 3rd Contrast. 0 = No sts.

Instructions are for size A. Sizes B, C, D and E are shown [B...] [C...] [D...] [E...]. Where one set of figures is given, this applies to all sizes.

BACK.

Using No. 11 Needles and M., cast on 126 [B 132] [C 140] [D 146] [E 154] stitches.

1st row—P.2 [B P.3] [C P.3] [D P.2] [E P.2], * K.2, P.2, rep. from * to last 0 [B 1] [C 1] [D 0] [E 0] st/s., P.0 [B P.1] [C P.1] [D P.0] [E P.0].

2nd row—K.2 [B K.3] [C K.3] [D K.2] [E K.2], * P.2, K.2, rep. from * to last 0 [B 1] [C 1] [D 0] [E 0] st/s., K.0 [B K.1] [C K.1] [D K.0] [E K.0].

Rep. 1st and 2nd rows 12 times.

Using No. 9 Needles, rep. 1st and 2nd rows 10 times.

Knitting first row of each stripe, work in stripes of 16 rows C.1, 8 rows M., 24 rows C.2, 8 rows M. and 32 rows C.3.

Using M., **Next row**—Knit.

Rep. 2nd row once, then 1st and 2nd rows until work measures 18¼ ins. (46 cm) from commencement, finishing with a 2nd row.

Keeping continuity of rib, shape armholes as follows—

Cast off 7 [B 7] [C 8] [D 8] [E 10] sts. at beg. of next 2 rows, then dec. at each end of next and every alt. row until 100 [B 104] [C 108] [D 112] [E 114] sts. remain. ***

Work 55 rows.

Shape shoulders as follows—

Cast off 10 [B 11] [C 11] [D 11] [E 12] sts. at beg. of next 4 rows, then 11 [B 10] [C 11] [D 12] [E 11] sts. at beg. of following 2 rows.

Break off yarn and leave remaining 38 [B 40] [C 42] [D 44] [E 44] sts. on a stitch holder.

FRONT—Work as given for Back to ***.

Work 25 [B 25] [C 25] [D 23] [E 23] rows.

Shape neck as follows—

1st row—Rib 41 [B 42] [C 43] [D 45] [E 46], turn.

Continue on these 41 [B 42] [C 43] [D 45] [E 46] sts., dec. at neck edge in every alt. row until 31 [B 32] [C 33] [D 34] [E 35] sts. remain.

Work 9 rows.

Shape shoulder as follows—

Cast off 10 [B 11] [C 11] [D 11] [E 12] sts. at beg. of next row and following alt. row.

Work 1 row. Cast off.

[continued on page 12]



Back Cover—Wide contrasting body stripes make for an important looking sweater in K.2, P.2 rib. Neckband is folded under.

No. 4 (from page 10)

Slip next 18 [B 20] [C 22] [D 22] [E 22] sts. on to stitch holder and leave.

Join yarn to remaining sts. and work to correspond with other side.

SLEEVES.

Using No. 11 Needles and M., cast on 62 [B 62] [C 66] [D 66] [E 70] stitches.

1st row—P.2, * K.2, P.2, rep. from * to end.

2nd row—K.2, * P.2, K.2, rep. from * to end.

Rep. 1st and 2nd rows 11 times.

Using No. 9 Needles, continue in rib, inc. at each end of next and every following 6th [B 6th] [C 6th] [D 4th] [E 4th] row until there are 82 [B 98] [C 102] [D 78] [E 82] sts., then in every following 8th [B 8th] [C 8th] [D 6th] [E 6th] row until there are 96 [B 100] [C 104] [D 108] [E 112] sts.

Continue until side edge measures 19 ins. (48 cm) (or length desired) from commencement, working last row on wrong side.

Keeping continuity of rib, shape top as follows—

Cast off 3 [B 3] [C 4] [D 4] [E 5] sts. at beg. of next 2 rows.

Dec. at each end of next and every alt. row until 70 [B 74] [C 72] [D 80] [E 80] sts. remain, then in every row until 20 [B 20] [C 22] [D 22] [E 22] sts. remain. Cast off.

NECKBAND.

Using back-stitch, sew up shoulder seams. With right side facing, using set of No. 11 Needles and M. and commencing at top of left shoulder, knit up 32 [B 34] [C 36] [D 35] [E 35] sts. evenly along left side of neck, rib across sts. on front stitch holder, knit up 32 [B 34] [C 36] [D 35] [E 35] sts. evenly along right side of neck, then rib across sts. on back stitch holder. (120 [B 128] [C 136] [D 136] [E 136] sts.)

1st round—P.0 [B P.1] [C P.0] [D K.1, P.2] [E K.1, P.2], * K.2, P.2, rep. from * to last 0 [B 3] [C 0] [D 1] [E 1] st/s., K.0 [B K.2, P.1] [C K.0] [D K.1] [E K.1]. Rep. 1st round 21 times. Cast off loosely in rib.

MAKE UP.

DO NOT PRESS. Using back-stitch, sew up side and sleeve seams. Sew in sleeves, placing seams to side seams. Fold neckband in half on to wrong side and slip-stitch in position.

No. 5—Jumper (opposite)

CAUTION!

This garment has been designed exclusively for Patons yarns; therefore we can take no responsibility if other yarns are used.

PATONS KATIE

			A	B	C	D	E
Fits chest	ins.	36	38	40	42	44	
		cm	91	97	102	107	112
Measures	ins.	36	38	40	42	44	
		cm	91	97	102	107	112

Quantity	50 g	balls	13	14	15	16	17
Length	Ins.	25¾	26	26¼	26½	26¾
		cm	65	66	67	67	68
Sleeve seam	Ins.	19	19	19	19	19
		cm	48	48	48	48	48
(or length desired)							

NEEDLES—Milward "Disc" or Patons "Beehive".

Loose Knitters 1 pair each Nos. 9 and 11

Average Knitters 1 pair each Nos. 8 and 10

Tight Knitters 1 pair each Nos. 7 and 9

Needles in instructions are for Average Knitters.

TENSION—12 sts. to 2 ins. (5 cm)—see page 19.

Milward Tapestry Needle for sewing seams.

3 Small Buttons.

ABBREVIATIONS—See page 19. 0 = No. sts. or rows.

"Inc." = Pick up loop which lies before next st., place on left-hand needle and knit t.b.l.

Instructions are for size A. Sizes B, C, D and E are shown [B...] [C...] [D...] [E...]. Where one set of figures is given, this applies to all sizes.

BACK.

Using No. 10 Needles, cast on 110 [B 116] [C 122] [D 128] [E 134] stitches.

1st row—P.2 [B P.3] [C P.2] [D P.3] [E P.2], * K.2, P.2, rep. from * to last 0 [B 1] [C 0] [D 1] [E 0] st/s., P.0 [B P.1] [C P.0] [D P.1] [E P.0].

2nd row—K.2 [B K.3] [C K.2] [D K.3] [E K.2], * P.2, K.2, rep. from * to last 0 [B 1] [C 0] [D 1] [E 0] st/s., K.0 [B K.1] [C K.0] [D K.1] [E K.0].

Rep. 1st and 2nd rows twice.

**** 7th row**—As 2nd row. **8th row**—As 1st row.

9th and 10th rows—As 7th and 8th rows.

Rep. rows 1 to 4 incl. once.

Rep. rows 7 to 10 incl. once.

Rep. rows 1 to 6 incl. once. ***

Using No. 8 Needles, proceed as follows—

1st row—Knit. **2nd row**—Purl.

Rep. 1st and 2nd rows until work measures 17½ ins. (44 cm) from commencement, finishing with a purl row.

Shape armholes as follows—

Cast off 5 [B 6] [C 7] [D 8] [E 9] sts. at beg. of next 2 rows, then dec. at each end of every row until 84 [B 88] [C 92] [D 96] [E 100] sts. remain.

Work 0 [B 2] [C 4] [D 6] [E 8] rows. ****

Rep. from ** to *** 3 times, then rows 7 to 10 incl. once, noting that all sizes will be worked as given for **Sizes B and D**.

Keeping continuity of patt., shape shoulders as follows—

continued on page 18



Back Cover—Outdoor shirt in plain smooth fabric, sports patterned yoke with bands and cuffs to match. Sleeves are set-in. Collar ribbed in K.2, P.2.

20 d hess
No. 6—Jumper (opposite)

CAUTION!

This garment has been designed exclusively for Patons yarns; therefore we can take no responsibility if other yarns are used.

PATONS KATIE

			A	B	C	D	E
Fits chest	ins.	36	38	40	42	44
		cm	91	97	102	107	112
Measures	ins.	37	39	41	43	45
		cm	94	99	104	109	114
Quantity	50 g balls		13	14	15	16	17
Length	ins.	25¾	26	26¼	26½	26¾
		cm	65	66	67	67	68
Sleeve seam	ins.	19	19	19	19	19
		cm	48	48	48	48	48
			(or length desired)				

NEEDLES—Milward "Disc" or Patons "Beehive".

Loose Knitters—

1 pair each Nos. 9 and 11, 1 set of No. 11

Average Knitters—

1 pair each Nos. 8 and 10, 1 set of No. 10

Tight Knitters—

1 pair each Nos. 7 and 9, 1 set of No. 9

Needles in instructions are for Average Knitters.

TENSION—12 sts. to 2 ins. (5 cm)—see page 19.

A Cable Needle.

Milward Tapestry Needle for sewing seams.

ABBREVIATIONS—See page 19.

"Inc." = Pick up loop which lies before next st., place on left-hand needle and knit t.b.l.

"Tw.2" = Knit into front of second st. on left-hand needle, then into front of first st., slip both sts. off needle tog.

"Cable B." = Slip next 3 sts. on to cable needle and leave at back of work, K.3, then K.3 from cable needle.

"Cable F." = Slip next 3 sts. on to cable needle and leave at front of work, K.3, then K.3 from cable needle.
O = No sts.

Instructions are for size A. Sizes B, C, D and E are shown [B...] [C...] [D...] [E...]. Where one set of figures is given, this applies to all sizes.

BACK.

Using No. 10 Needles, cast on 117 [B 125] [C 133] [D 141] [E 149] stitches.

1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row—K.1, * P.1, K.1, rep. from * to end.

Rep. 1st and 2nd rows 10 times, then 1st row once.

24th row—Rib 28 [B 32] [C 36] [D 40] [E 44], ("Inc.", rib 3) 21 times, rib to end. (138 [B 146] [C 154] [D 162] [E 170] sts.)

Using No. 8 Needles, proceed as follows—

1st row—(P.2, K.2) 1 [B 2] [C 3] [D 4] [E 5] time/s, P.2, (K.6, P.2, K.2, P.2, K.12, P.2, K.2, P.2) 4 times, K.6, (P.2, K.2) 1 [B 2] [C 3] [D 4] [E 5] time/s, P.2.

2nd row—Knit all knit sts. and purl all purl sts. as they appear.

**** 3rd row**—(P.2, "Tw.2") 1 [B 2] [C 3] [D 4] [E 5] time/s, P.2, ("Cable B.", P.2, "Tw.2", P.2, "Cable B.", "Cable F.", P.2, "Tw.2", P.2) 4 times, "Cable B.", (P.2, "Tw.2") 1 [B 2] [C 3] [D 4] [E 5] time/s, P.2.

Rep. 2nd row once.

5th row—(P.2, "Tw.2") 1 [B 2] [C 3] [D 4] [E 5] time/s, P.2, (K.6, P.2, "Tw.2", P.2, K.12, P.2, "Tw.2", P.2) 4 times, K.6, (P.2, "Tw.2") 1 [B 2] [C 3] [D 4] [E 5] time/s, P.2.

Rep. 2nd row once, then 1st and 2nd rows twice. **

Rows 3 to 10 incl. form patt.

Rep. from ** to ** until work measures 14¾ ins. (37 cm) from commencement, working last row on wrong side.

Keeping continuity of patt., shape raglan armholes as follows—

1st and 2nd rows—Cast off 2 sts., patt. to end.

3rd row—K.2, slip 1, K.1, p.s.s.o., patt. to last 4 sts., K.2 tog., K.2.

4th row—P.3, patt. to last 3 sts., P.3. ***

Rep. 3rd and 4th rows until 54 [B 64] [C 74] [D 84] [E 94] sts. remain.

Next row—P.2, P.2 tog., patt. to last 4 sts., P.2 tog. t.b.l., P.2.

Dec. (as before) at each end of every row until 36 [B 38] [C 40] [D 42] [E 44] sts. remain.

Cast off remaining sts.

FRONT—Work as given for Back to ***.

Rep. 3rd and 4th rows until 114 [B 122] [C 130] [D 138] [E 146] sts. remain.

Work 1 row.

Divide for "V" Neck as follows—

1st row—K.2, slip 1, K.1, p.s.s.o., patt. 53 [B 57] [C 61] [D 65] [E 69], turn.

Continue on these 56 [B 60] [C 64] [D 68] [E 72] sts. Dec. at armhole edge (as before) in every alt. row 29 [B 28] [C 27] [D 26] [E 23] times, whilst at same time dec. at neck edge in 2nd row and every following 4th row 14 [B 13] [C 13] [D 12] [E 11] times. (12 [B 18] [C 23] [D 29] [E 37] sts.)

A, B and C only—Next row—Patt. to last 4 sts., P.2 tog. t.b.l., P.2. Just knit

Dec. (as before) at armhole edge in every row 3 [B 7] [C 11] times, whilst at same time dec. at front edge in A following 3rd row [B next row and every following 3rd row twice] [C 2nd row and every following 3rd row 3 times.] (7 sts.)

[D only]—Next row—Work 2 tog., patt. to last 4 sts., P.2 tog. t.b.l., P.2.

[E only]—Dec. at armhole edge (as before) in every alt. row twice, whilst at same time dec. at front edge in following 3rd row. (34 sts.)

Next row—Patt. to last 4 sts., P.2 tog. t.b.l., P.2.] Just knit

[D and E only]—Dec. at armhole edge (as before) in every row [D 15] [E 19] times, whilst at same time dec. at front edge in [D 3rd] [E next] row and every following 3rd row [D 4] [E 6] times. (7 sts.)

All Sizes—Dec. (as before) at armhole edge only in every row until 3 sts. remain.

Next row—P.2 tog. t.b.l., P.1, turn, K.2 tog. Fasten off. Join yarn to remaining sts. and work to correspond with other side, working "K.2 tog." in place of "slip 1, K.1, p.s.s.o." and "P.2 tog." in place of "P.2 tog. t.b.l."

SLEEVES. (See on 47.)

Using No. 10 Needles, cast on 57 [B 59] [C 61] [D 63] [E 65] stitches.

Work 22 rows in rib as given for Back, inc. in middle of last row. (58 [B 60] [C 62] [D 64] [E 66] sts.)

Using No. 8 Needles, proceed as follows—

Increased 1st - 4th row [continued on page 16

after every 6th row will
75sd
100 to 100



*Front Cover—All-over cabled sweater with fashioned raglan sleeves,
"V" neckband and K.1, P.1 rib bands.*

1st row—K.1 [B K.2] [C P.1, K.2] [D K.0] [E K.1], (P.2, K.2) 2 [B 2] [C 2] [D 3] [E 3] times, P.2, K.6, P.2, K.2, P.2, K.12, P.2, K.2, P.2, K.6, (P.2, K.2) 2 [B 2] [C 2] [D 3] [E 3] times, P.2, K.1 [B K.2] [C K.2, P.1] [D K.0] [E K.1].

2nd row—Knit all knit sts. and purl all purl sts. as they appear.

**** 3rd row**—K.1 [B "Tw.2"] [C P.1, "Tw.2"] [D K.0] [E K.1], (P.2, "Tw.2") 2 [B 2] [C 2] [D 3] [E 3] times, P.2, "Cable B.", P.2, "Tw.2", P.2, "Cable B.", "Cable F.", P.2, "Tw.2", P.2, "Cable B.", (P.2, "Tw.2") 2 [B 2] [C 2] [D 3] [E 3] times, P.2, K.1 [B "Tw.2"] [C "Tw.2", P.1] [D K.0] [E K.1].

Rep. 2nd row once.

5th row—K.1 [B "Tw.2"] [C P.1, "Tw.2"] [D K.0] [E K.1], (P.2, "Tw.2") 2 [B 2] [C 2] [D 3] [E 3] times, P.2, K.6, P.2, "Tw.2", P.2, K.12, P.2, "Tw.2", P.2, K.6, (P.2, "Tw.2") 2 [B 2] [C 2] [D 3] [E 3] times, P.2, K.1 [B "Tw.2"] [C "Tw.2", P.1] [D K.0] [E K.1].

Rep. 2nd row once, then 1st and 2nd rows twice. **
These 8 rows form patt.

Keeping continuity of patt. as given from ** to **, inc. at each end of next and every following 6th row until there are 94 [B 96] [C 100] [D 102] [E 104] sts. working extra sts. into Twlst Patt.

Continue until side edge measures 19 ins. (48 cm) (or length desired) from commencement, working last row on wrong side.

Shape raglan as follows—

1st and 2nd rows—Cast off 2 sts., patt. to end.

3rd row—K.2, slip 1, K.1, p.s.s.o., patt. to last 4 sts., K.2 tog., K.2.

4th row—P.3, patt. to last 3 sts., P.3.

5th row—K.3, patt. to last 3 sts., K.3.

6th row—As 4th row.

Rep. rows 3 to 6 incl. twice [B twice] [C once] [D once] [E once]. (84 [B 86] [C 92] [D 94] [E 96] sts.)

Rep. 3rd and 4th rows until 8 sts. remain.

Work 1 row. Cast off.

NECKBAND.

Using back-stitch, sew sleeves to front and back, noting that tops of sleeves form part of neckline. With right side facing, using set of No. 10 Needles and commencing at left back raglan seam, knit up 74 [B 76] [C 78] [D 80] [E 82] sts. evenly across top of left sleeve and along left side of neck, knit up one st. from centre front (centre st.), knit up 74 [B 76] [C 78] [D 80] [E 82] sts. evenly along right side of neck and across top of right sleeve, knit up 35 [B 37] [C 39] [D 41] [E 43] sts. across back neck. (184 [B 190] [C 196] [D 202] [E 208] sts.)

1st round—* K.1, P.1, rep. from * to end.

2nd round—Rib to within 2 sts. of centre st., y.bk., slip 1, K.1, p.s.s.o., K.1 (centre st.), K.2 tog., rib to end.

3rd round—Rib to within 2 sts. of centre st., P.2 tog.t.b.l., K.1, P.2 tog., rib to end.

Rep. 2nd and 3rd rounds 3 times. Cast off loosely in rib.

MAKE UP.

With a slightly damp cloth and warm iron, press lightly. Using back-stitch, sew up side and sleeve seams. Press seams.

No. 7—Vest (opposite)

CAUTION!

This garment has been designed exclusively for Patons yarns; therefore we can take no responsibility if other yarns are used.

PATONS KATIE

					A	B	C
Fits chest	Ins.	36	39	42
				cm	91	99	107
Measures	Ins.	36	39	42
				cm	91	99	107
Main Colour	50 g balls		5	6	7
1st Contrast	" "		2	2	2
2nd Contrast	" "		2	2	2
Length	ins.	21½	21¾	22
				cm	55	55	56

NEEDLES—Milward "Disc" or Patons "Beehive".

Loose Knitters—

1 pair each Nos. 9 and 11, 1 set of No. 11

Average Knitters—

1 pair each Nos. 8 and 10, 1 set of No. 10

Tight Knitters—

1 pair each Nos. 7 and 9, 1 set of No. 9

Needles in instructions are for Average Knitters.

TENSION—12 sts. to 2 ins. (5 cm). Check tension—See page 19.

Milward Tapestry Needle for sewing seams.

ABBREVIATIONS—See page 19. M. = Main Colour. C.1 = 1st Contrast. C.2 = 2nd Contrast.

Instructions are for size A. Sizes B and C are shown [B ...] [C ...]. Where one set of figures is given, this applies to all sizes.

BACK.

Using No. 10 Needles and M., cast on 125 [B 137] [C 149] stitches.

1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row—K.1, * P.1, K.1, rep. from * to end.

Rep. 1st and 2nd rows 21 times.

Using No. 8 Needles, proceed as follows—

NOTE—When slipping sts. in patt., carry yarn loosely across on wrong side of work.

**** Using C.1, 1st row**—K.1, * K.3, slip 1 purlways, rep. from * to last 4 sts., K.4.

2nd row—P.1, * P.3, slip 1 purlways, rep. from * to last 4 sts., P.4.

Using M., **3rd row**—K.2, * slip 1 purlways, K.3, rep. from * to last 3 sts., slip 1 purlways, K.2.

4th row—P.2, * slip 1 purlways, P.3, rep. from * to last 3 sts., slip 1 purlways, P.2.

[continued on page 18]



*Front Cover—Three-colour vest in slip-stitch pattern
with K.1, P.1 rib bands.*

No. 7 (from page 16)

Using C.2, rep. 1st and 2nd rows once.

Using M., rep. 3rd and 4th rows once. **

Rep. from ** to ** until work measures 12¼ ins. (31 cm) from commencement, finishing with a 4th or 8th row.

Keeping continuity of patt., shape armholes as follows—

Cast off 8 [B 10] [C 12] sts. at beg. of next 2 rows, then dec. at each end of every row until 77 [B 81] [C 85] sts. remain.

Work 82 [B 84] [C 84] rows in patt.

Cast off remaining sts.

FRONT.

Work as given for Back until there are 20 rows less than Back to underarm, working last row on wrong side.

Divide for "V" neck as follows—

1st row—Patt. 62 [B 68] [C 74], turn.

Continue on these 62 [B 68] [C 74] sts., dec. at neck edge in 2nd and every following 4th row until 57 [B 63] [C 69] sts. remain.

Work 1 row.

Shape armhole and continue neck shaping.

Cast off 8 [B 10] [C 12] sts. at beg. of next row. Dec. at armhole edge in 2nd row and every row 15 [B 17] [C 19] times, whilst at same time dec. at neck edge in 2nd row and every following 4th row 3 [B 4] [C 4] times. (29 [B 30] [C 32] sts.)

Dec. at neck edge only in every following 4th row from previous dec. until 8 [B 12] [C 18] sts. remain,

[B and C only—then in every following 3rd row until 8 sts. remain.]

Work 1 row. Cast off.

Slip next st. (centre st.) on to a thread and leave.

Join yarns to remaining sts. and work to correspond with other side.

NECKBAND.

Using back-stitch, sew up shoulder seams. With right side facing, using set of No. 10 Needles and M. and commencing at left shoulder seam, knit up 108 [B 112] [C 116] sts. evenly along left side of neck, knit st. on thread (centre st.), knit up 108 [B 112] [C 116] sts. evenly along right side of neck, then knit up 61 [B 65] [C 69] sts. evenly across back neck. (278 [B 290] [C 302] sts.)

1st round—* K.1, P.1, rep. from * to end.

2nd round—Rib to within 2 sts. of centre st., y.bk., slip 1, K.1, p.s.s.o., K.1 (centre st.), K.2 tog. rib to end.

3rd round—Rib to within 2 sts. of centre st., P.2 tog. t.b.l., K.1 (centre st.), P.2 tog., rib to end.

Rep. 2nd and 3rd rounds 3 times. Cast off in rib.

ARMHOLE BANDS.

With right side facing, using No. 10 Needles and M., knit up 161 [B 165] [C 169] sts. evenly along armhole edge.

Work 9 rows in rib as given for Back, commencing with a 2nd row. Cast off in rib.

MAKE UP.

With a slightly damp cloth and warm iron, press lightly. Using back-stitch, sew up side seams. Press seams.



**No.5
Jumper
(from
page 12)**

Cast off 9 [B 9] [C 10] [D 10] [E 10] sts. at beg. of next 4 rows, then 9 [B 10] [C 9] [D 10] [E 11] sts. at beg. of following 2 rows.

Cast off remaining 30 [B 32] [C 34] [D 36] [E 38] sts.

FRONT—Work as given for Back to ****.

Divide for front opening as follows—

1st row—K.3, (P.2, K.2) 6 [B 7] [D 7] [E 7] times, P.3 [B P.0] [C P.1] [D P.2] [E P.3], cast off 24 [B 26] [C 28] [D 30] [E 32] sts., P.3 [B P.0] [C P.1] [D P.2] [E P.3], (K.2, P.2) 6 [B 7] [C 7] [D 7] [E 7] times, K.3.

Continue on last 30 [B 31] [C 32] [D 33] [E 34] sts.

2nd row—P.3, (K.2, P.2) 6 [B 7] [C 7] [D 7] [E 7] times, K.3 [B K.0] [C K.1] [D K.2] [E K.3].

Keeping continuity of patt. as given for Back, work 34 rows.

Tie a coloured thread at end of last row.

Shape neck as follows—

Dec. at neck edge in next 3 rows. (27 [B 28] [C 29] [D 30] [E 31] sts.)

Work 20 rows.

Shape shoulder as follows—

Cast off 9 [B 9] [C 10] [D 10] [E 10] sts. at beg. of next row and following alt. row.

Work 1 row. Cast off.

Join yarn to remaining sts. and work to correspond with other side.

SLEEVES.

Using No. 10 Needles, cast on 54 [B 54] [C 58] [D 58] [E 62] stitches.

Work all sizes as given for Back for **Sizes A, C and E** to ***.

Using No. 8 Needles, proceed as follows—

1st row—Knit. 2nd row—Purl.

Rep. 1st and 2nd rows once.

5th row—K.2, "Inc.", knit to last 2 sts., "Inc.", K.2. Inc. (as before) in every 6th [B 6th] [C 6th] [D 4th] [E 4th] row until there are 74 [B 82] [C 86] [D 64] [E 68] sts., then in every following 8th [B 8th] [C 8th] [D 6th] [E 6th] row until there are 88 [B 90] [C 94] [D 98] [E 102] sts.

Continue until side edge measures 19 ins. (48 cm) (or length desired) from commencement, finishing with a purl row.

Shape top as follows—

Cast off 2 [B 3] [C 3] [D 4] [E 4] sts. at beg. of next 2 rows.

Dec. at each end of next and every alt. row until 60 [B 60] [C 64] [D 64] [E 70] sts. remain, then in every row until 18 sts. remain. Cast off.

COLLAR.

Using No. 10 Needles, cast on 150 [B 150] [C 154] [D 154] [E 158] stitches.

1st row—K.2, * P.2, K.2, rep. from * to end.

2nd row—K.2, * K.2, P.2, rep. from * to last 4 sts., K.4. Rep. 1st and 2nd rows 16 times.

Next row—Rib 18, * P.2 tog., K.2, rep. from * to last 16 sts., rib 16. (121 [B 121] [C 124] [D 124] [E 127] sts.)

Next row—Rib 16 [B 16] [C 17] [D 17] [E 18], tie a coloured thread here, cast off 89 [B 89] [C 90] [D 90] [E 91] sts., tie a coloured thread here, rib to end. Work 36 rows on last 16 [B 16] [C 17] [D 17] [E 18] sts. Cast off in rib.

Join yarn to remaining sts. and proceed as follows—
Work 10 rows.

**** 11th row**—Rib to last 4 sts., cast off 2 sts., K.2. **12th row**—K.2, cast on 2 sts., rib to end.

Work 8 rows. **

Rep. from ** to ** once, then 11th and 12th rows once. (3 buttonholes.)

Work 4 rows. Cast off in rib.

MAKE UP.

With a slightly damp cloth and warm Iron, press lightly. Using back-stitch, sew up shoulder, side and sleeve seams. Sew in sleeves, placing seams to side seams. Sew collar and front bands in position, matching coloured threads and overlapping 6 sts. at centre front. Sew on buttons. Press seams.

PLEASE NOTE

Every design in this book has been test-knitted or crocheted. If you have difficulty in interpreting any instruction, please contact us. Our telephone numbers are—Melbourne, 544-0666; Sydney, 667-0577; Brisbane, 52-7088; Adelaide, 23-4233; Perth, 22-0601; or write to us at the address below.


**SUCCESSFUL RESULTS DEPEND ON
CORRECT TENSION!**

To knit garments you'll be proud of, always make a Tension Test. Correct tension brings out a further benefit of Patons exclusive Patonsing process. You'll find your knitteds have maximum resistance to pilling as well as shrinkage. So you're sure of knitteds looking fresh and new through wash after wash.



Tension Test: Before you start knitting take the yarn and needles specified in the instructions, cast on 20 stitches, work 20 rows in plain smooth fabric. Do not press Cedar. Check the tension by placing an inch tape across the stitches. Count the exact number of stitches to 2 ins. (5 cm) and compare with the tension given in the instructions. If your tension is too loose,

try a size finer needle. If it's too tight, try a size larger needle. If more than one size of needle is recommended in the knitting instructions, and you have altered your needles to correct the tension, corresponding alterations must be made to needles throughout the instructions.

TENSION—12 stitches to 2 inches (5 cm)



Needle size depends on your tension which should be 12 stitches to 2 ins. (5 cm) in width measured over plain smooth fabric.



PUBLISHED WITH ALL RIGHTS RESERVED BY **COATS PATONS (AUSTRALIA) LTD.**
Makers of Coats Sewing Threads and Patons Knitting Yarns
REGISTERED OFFICE: 321-355 FERNTREE GULLY ROAD, MT. WAVERLEY, VICTORIA, 3149. P.O. BOX 110

Wholly set up and printed in Australia

Trade Marks registered in Australia

Patons

Book 361

KATIE

KATIE IN A MAN'S WORLD

Six Jumpers and a Vest.

